TECHNICAL SPECIFICATIONS

2027 KTM 450 RALLY REPLICA

ENGINE

Design	**1-CYLINDER, 4-STROKE ENGINE**
Displacement	**449.3 CM³**
Transmission	**6-SPEED**
Cooling	**LIQUID COOLED**
Engine cylinder	**SINGLE CYLINDER**
Engine addition	**4 V / SOHC**
EMS	**KOKUSAN**
Engine oil manufacturer	**MOTOREX**
Engine stroke	**4-STROKE**
Drive type	**COMBUSTION**

CHASSIS

Front brake disc diameter	**300 MM**
Rear brake disc diameter	**240 MM**
Chain	**5/8 X 1/4"**
Frame material	**CHROME-MOLYBDENUM STEEL**
Subframe tank	**SELF SUPPORTING FUEL TANK**
Rear subframe design	**SELF-SUPPORTING PLASTIC TANK**

SUSPENSION

Suspension travel (front)	**304 MM**
Suspension travel (rear)	**280 MM**
Suspension travel (front)	**11.97 INCH**
Suspension travel (rear)	**11.02 INCH**
Front suspension type	**WP XACT**
Rear suspension type	**WP SHOCK ABSORBER**

DIMENSIONS

Tank capacity (approx.)	**35 L**
Subframe tank	**SELF SUPPORTING FUEL TANK**
Tank capacity (approx.)	**9.25 US GAL**
Wheels	**SPOKED WHEELS WITH ALUMINIUM RIMS**