

# TECHNICAL SPECIFICATIONS

## 2026 KTM 390 ENDURO R

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	398.7 CM <sup>3</sup>
Power	45 PS
Torque	39 NM
Transmission	6-SPEED
CO <sub>2</sub> emissions	78 G/KM
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX FORMULA 4T 15W/50
Engine stroke	4-STROKE

## CHASSIS

Front brake disc diameter **285 MM**

Rear brake disc diameter **240 MM**

Front brake **BYBRE AXIAL FLOATING CALIPERS WITH 2 PISTONS**

Rear brake **BYBRE FLOATING CALIPER 1 PISTON**

Chain **520 X-RING**

Frame design **STEEL TRELLIS FRAME, POWDER COATED**

Steering head angle **62.9 °**

Rear subframe design **BOLT ON STEEL TRELLIS FRAME, POWDER COATED**

Trail **107 MM**

Wheelbase **1475 MM**

## SUSPENSION

Front suspension

**WP APEX OPEN CARTRIDGE 43MM**

Rear suspension

**WP APEX SPLIT PISTON**

Suspension travel (front)

**230 MM**

Suspension travel (rear)

**230 MM**

Front suspension adjustment

**COMPRESSION AND REBOUND ADJUSTABLE**

Front suspension addition

**COMP. AND REB. ADJUSTABLE - 30 CLICKS**

Rear suspension setting

**PRELOAD WITH TOP RING**

Rear suspension addition

**PRELOAD WITH TOP RING AND REB. WITH 20 CLICKS**

## DIMENSIONS

Seat height	<b>890 MM</b>
Tank capacity (approx.)	<b>9 L</b>
Ground clearance	<b>272 MM</b>
Weight (without fuel)	<b>159 KG</b>
Weight fully fueled	<b>165 KG</b>
Front wheel diameter	<b>21 "</b>
Rear wheel diameter	<b>18 "</b>
Front wheel width	<b>1.85 "</b>
Rear wheel width	<b>2.5 "</b>
Wheels	<b>1.85 X 21"; 2.5 X 18"</b>