

# TECHNICAL SPECIFICATIONS

## 2026 KTM 350 EXC-F 6DAYS

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	349.7 CM <sup>3</sup>
Transmission	6-SPEED
Fuel-mixture generation	KEIHIN EFI, THROTTLE BODY 42 MM
EMS	KEIHIN EMS
Clutch primary drive teeth	72
Primary drive	24:72
Clutch	WET, DDS MULTI-DISC CLUTCH, BREMBO HYDRAULICS
Engine cylinder	SINGLE CYLINDER
Engine stroke	4-STROKE

## CHASSIS

Frame design	<b>CENTRAL DOUBLE-CRADLE-TYPE 25CRM04 STEEL</b>
Front brake	<b>DISC BRAKE</b>
Rear brake	<b>DISC BRAKE</b>
Rear subframe design	<b>ALUMINUM-REINFORCED POLYAMIDE</b>
Chain	<b>520 X-RING</b>

## SUSPENSION

Front suspension	<b>WP XACT-USD, Ø 48 MM</b>
Rear suspension	<b>WP XPLOR SHOCK ABSORBER WITH PDS</b>
Suspension travel (front)	<b>300 MM</b>
Suspension travel (rear)	<b>310 MM</b>
Front suspension adjustment	<b>COMPRESSION AND REBOUND ADJUSTABLE</b>
Rear suspension setting	<b>COMPRESSION AND REBOUND ADJUSTABLE</b>

## DIMENSIONS

Seat height	<b>963 MM</b>
-------------	---------------

Ground clearance	<b>347 MM</b>
------------------	---------------

Tank capacity (approx.)	<b>8.5 L</b>
-------------------------	--------------

Weight (without fuel)	<b>107.1 KG</b>
-----------------------	-----------------