

# TECHNICAL SPECIFICATIONS

## 2026 KTM 390 DUKE

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	398.7 CM <sup>3</sup>
Power	45 PS
Torque	39 NM
Transmission	6-SPEED
CO <sub>2</sub> emissions	79 G/KM
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX FORMULA 4T 15W/50
Engine stroke	4-STROKE

## CHASSIS

Front brake disc diameter	<b>320 MM</b>
---------------------------	---------------

Rear brake disc diameter	<b>240 MM</b>
--------------------------	---------------

Front brake	<b>FOUR-PISTON RADIAL FIXED CALLIPER</b>
-------------	--

Chain	<b>520 X-RING</b>
-------	-------------------

Frame design	<b>STEEL TRELIS FRAME, POWDER COATED</b>
--------------	--

Wheelbase	<b>1357 MM</b>
-----------	----------------

## SUSPENSION

Front suspension	<b>WP APEX 43</b>
------------------	-------------------

Suspension travel (front)	<b>150 MM</b>
---------------------------	---------------

Suspension travel (rear)	<b>150 MM</b>
--------------------------	---------------

Front suspension adjustment	<b>COMPRESSION AND REBOUND ADJUSTABLE</b>
-----------------------------	---

Rear suspension setting	<b>REBOUND ADJUSTABLE</b>
-------------------------	---------------------------

Rear suspension addition	<b>PRELOAD ADJUSTER</b>
--------------------------	-------------------------

## DIMENSIONS

Seat height

**820/800 MM**

Weight fully fueled

**165 KG**

Front wheel diameter

**3 "**

Rear wheel diameter

**4 "**